Industry & Facilities Division





MATERIAL INSPECTION CERTIFICATE

According to EN 10204:2004

PROJECT: GLASS FIBER REINFORCED POLYMER	Ref: BVGH/2023/121/INC/GH					
BV Client: VIVA & CO GHANA LIMITED	P/o nr: 2023/121					
	(client to BV)					
Supplier: VIVA & CI GHANA LIMITED	Report nr:					
Manufacture And Location of the plant: TSOPOLI	Sample ID Nr:					
	MEL2/23					
Inspection requested by (purchaser): VIVA & CO GHANA LIMITED						

Material dimension subject to inspection / Supply description:

Glass Fibre-Reinforced Polymer Bar

Quantity: 09 Specimen

Delivery condition: - SATISFACTORY

Material specification

Specification or grade & standard: ASTM D7205/D7205M

Additional testing/examination specified in the order if any: GLASS FIBER REINFORCED POLYMER REBAR

Test results

Testing and/or inspection carried out by: TRAWULE RAFIAH YUSIF

Date(s) of testing and/or inspection: 11TH AUGUST 2023

Number of pages attached:

Position: NDT INSPECTOR

TEMA 21-08-23

Identification of attachments: TENSILE AND SHEAR STRENGTH RESULTS

Important note: This certificate is not valid without attached documents which contain details of Tensile and Shear strength Methods, Tensile and Shear Strength Specification, Tensile and Shear forces and Results or any additional results

Witness Test: To ensure that the shear and tensile strength of a glass fibre polymer bar conforms to the specification standard of ACI

BV Stamping:

Comments or particular mentions: SATISFACTORY

The manufacturer declares that the product identified above has been manufactured, tested, examined and supplied in conformity with the requirements of the order. Bureau Veritas declares that the tests and examinations carried out under the supervision of Bureau Veritas surveyors, within the scope of its General Conditions, have been found in compliance with the technical specifications of the purchase order.

Bureau Veritas INSPECTOR's Name: TRAWULE RAF YUSIF

APPROVED BY:

name: KOUME KOFFI

tion: INC MANAGER ADI 21-08-23

BOX AN 5238, ACCR



Industry & Facilities Division ThThird Party Inspection Report

Page 1 of 7

INSPECTION REPORT N			Rev	ision Nr
☐ Initial ☐ Interim ☒ Fina			1	
Inspection requested by: VIV				
Inspection performed as Reco	agniced Authority:	Yes,: GHANA STAI JTHORITY (GSA)	VDARDS	No
BV Job Nr: 2023/121/INC/GH				=
Project: GLASS FIBER-REII APPLICATION	NFORCE POLYMER TEST	IPO Ref (If applicab (BV internal P/o)	le) : 2023 / 121 /	INC/GHA
BV Client: VIVA & CO GHAI	NA LIMITED	P/o nr:2023/121 (client to BV)		
Manufacturer/Vendor: VIVA	& CO GHANA LIMITED	P/o nr: (client to Manufactu	rer)	
Sub-Vendor (If applicable):				
Inspection Location: GHANA STANDARD AUTHO	ODITY (CCA)	Previous Inspection (Date)	n (If applicabl	e):
	GLASS FIBER REINFORCED	Next Inspection (If (Date)	applicable):	1 2
Date, 11-00-2020				
MATERIAL / SUBJECT O		ITEM / TAG Nr	QTY As per P/O	QTY Offered for inspection
	er to attachment section J instead aterial list is provided in attachment)			Inspection
Glass Fibre Reinforced Polyr	mer 7MM	244 / MEL2 / 23	THREE (03)	THREE (03)
			×	
A – INSPECTION RESUL	T			
⊠ Satisfactory (Without comments)	Satisfactory with comment (Any of trailing Punch or Non Colitems is still open)		ot Satisfactor aised during ction)	
Inspection Summary: (fo	r details refer to section D)			
The tensile test conductor	I was a success as per standard A	STM D7205/D7205M S	DECIFICATIO	N GS ACI
440.6-08. The standard ten	sile strength for 7mm is 760N/mm2	min, results from the	test were 183	34N/mm2 and
1712N/mm2, which is abov	e the standard. This implies that the	ne tensile strength from	m VIVA Co &	GHANA has
superior properties and of	high quality and can withstand			
0 11 0 1 111		N	_	
Open Non-Conformities:	Yes, details in section G	⊠ N		
Open Punch List Items:	Yes, details in section H	N N		
Release Note Issued:	Yes, number(s): (Release Note	number) 🛛 N	U	

GM-SI-101 INSP002-En Rev. 3

Copyright Bureau Veritas 10/2019

This template is intended exclusively when BV is acting as 3° party inspection body. The use of present template is forbidden in the frame of 2° party services where Client specification and templates must be used.



BV Office: TEMA OFFICE	☐ Yes, 🗠		☐ No		
BV Office: TEMA OFFICE	SAMINERITAS A BY SI				
BV Office: TEMA OFFICE	JAPA GH	JPERVISOF	R: RICHARD AF	RTHUR	
*/	mspe		t Date: 11-08-2	2023	
Distribution: CLIENT BV MANDE OTHER:	(0302 771507) Attac	hments Rep s, details in s	ort: ection J	No	
B- ATTENDEES	es.				
Name Notes of ker	Position		Representin	g	
BROLIN AMOAKO	ASSISTANT SCIENTIFIC C		GHANA STA AUTHORITY		
DAVID OWUSU AGYARE	ASSISTANT SCIENTIFIC C	OFFICER	GHANA STA AUTHORITY		
VAN ROMANOV	DIRECTOR OF VIVA & CO LIMITED	GHANA		CO GHANA LIMITED	
(Add lines for additional records)			*		
C - MEASURING & TESTING EQ Equipment Type JTM MACHINE		f separate eq	uipment list is pro ibration Date	nt section J inste	
napodi led u	Thy	The soft sea	and the same of th		
19 413: 4 7		84 -			
D - INSPECTION DETAILS					
D1 – Details of Witness (W) & H	lold (H) Inspection Points				
Once the sample is pThe tension is applied	is passed between the two jave placed in right position, the jaw ed to the sample until it reaches	s are pulled a	apart to apply ten	sion on the sample	
position grad	2.14				
a document to the control of the con	iai ez		6		
D2 - Details of Monitoring and	Surveillance Patrols	K	Tick if cond	ucted during the vi	
12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	£		1		

acting as 3° party inspection body.

frame of 2° party services where Client specification and templates must be used.

T Nr 20		Revision Nr
T F Re		
6.161		
i sudfe	7.08	
ates Review	☐ Tick i	f conducted during the vis
Jr - Hr /TE.	nte le r	2 2
	10 0	
	Les VIII	
The second secon	10	
A LANGE		*
	oir appropriato PDE	
dr.Xa ust i	30	
ent was safe and conductive		
Ø -21M		
onlis (n o h		
an etc		
the strong	They The	
	S. m.	
	ates Review Y & ENVIRONMENT COMM served; operators were in the ent was safe and conductive	Y & ENVIRONMENT COMMENTS Served; operators were in their appropriate PPE ent was safe and conductive for operation

Copyright Bureau Veritas 10/2019

This template is intended exclusively when BV is acting as 3° party inspection body.

BV STAMP (0302 771507)

INSPE	ECTION REPORT	Nr			ş	R	evision Nr		
F- NON CONFORMITIES Refer to attachment section J instead (Indicate if separate punch list is provided in attachment)									
Item	Description	Status	Raised on	Report Nr.	Closed on	Report Nr.	Comments		
NON	NON	NON	NON	NON	NÓN	NON	12		
	1940. (1)				fer		1		
Confo All pro	rmity was observed ocedures were obse	d. Manual inspec	ction was a Su	ccess as pe	er Applicable S	tandard			
	Act Act Epite on the				and the second				

G – F	PUNCH LIST ITEM	MS	(In	dicate if se	Refer to atta		section J inste
Ite m	Description	Status	Raised on	Report Nr.	Closed on	Report Nr.	Comments
NON	NON	NON	NON	NON	NON	NON	
	Authorities				- A		
	AldPLI: The And Clares I	M.LO. 202 bell wis p			tained		
	Tho to	e plea i			11 JEC 1999.		





Copyright Bureau Veritas 10/2019

Revision Nr

H - DIGITAL PICTURES







Description: OPERATOR ABOUT TO INSIST THE SAMPLE

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively vacting as 3° party inspection body.



Copyright Bureau Veritas 10/2019


Revision Nr





Description:7MM REBAR SAMPLES; BEFORE TEST

Description: 7MM REBAR SAMPLES; AFTER TEST





Description: FRACTURED SAMPLE; AFTER TEST

Description: SERIAL NUMBER OF UTM

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively when BV is acting as 3° party inspection body.



Copyright Bureau Veritas 10/2019

TION REPOR	T Nr		Revision N
1 197 1			
		2	
	7.3		
	1		

END OF REPORT

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusive when BV is acting as 3° party inspection body.

BV STAMP 2771507)
238, CCRA-CCRA

Copyright Bureau Veritas 10/2019





Industry & Facilities Division ThThird Party Inspection Report

Page 1 of 7

INSPECTION REPORT Nr		Revision Nr
☐ Initial ☐ Interim ☐ Final ☐ Resident	Janes Comment	1101101011111
Inspection requested by: VIVA & CO GHANA LIMITED		,
Inspection performed as Recognised Authority:	Yes,: GHANA STANDARD UTHORITY (GSA)	S □ No
BV Job Nr: 2023/121/INC/GHA	5.5	
Project: GLASS FIBER -REINFORCE POLYMER TEST APPLICATION	IPO Ref (If applicable): 202 (BV internal P/o)	3/121/INC/GHA
BV Client: VIVA & CO GHANA LIMITED	P/o nr: 2023/121 (client to BV)	
Manufacturer/Vendor: VIVA & CO GHANA LIMITED	P/o nr: (client to Manufacturer)	
Sub-Vendor (If applicable):		
Inspection Location: GHANA STANDARD AUTHORITY (GSA)	Previous Inspection (If ap	plicable):
Inspection performed on: GLASS FIBER REINFORCED POLYMER	(Date) Next Inspection (If applical (Date)	ble):
Date; 11-08-2023	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
MATERIAL / SUBJECT OF INSPECTION Refer to attachment section J instead (Indicate if separate material list is provided in attachment)	ITEM / TAG Nr QTY As pe	r P/O Offered for inspection
Glass Fibre Reinforced Polymer 8MM	245 / MEL2 / 23 THRE (03)	THREE (03)
WANTEL AM ALES,	1412	
A – INSPECTION RESULT		
Satisfactory (Without comments) Satisfactory with comment (Any of trailing Punch or Non Coritems is still open)		sfactory during the
Inspection Summary: (for details refer to section D)		
The tensile test conducted was a success as per standard AS 440.6-08. The standard tensile strength for 8mm is 760N/mm2 1512N/mm2, which is above the standard. This implies that the superior properties and of high quality.	min, results from the test we	ere 1490N/mm2 and
Open Non-Conformities: Yes, details in section G Open Punch List Items: Yes, details in section H	⊠ No ⊠ No	
Open Functional List items. Tes, details in section H	₩ INO	

GM-SI-101 INSP002-En Rev. 3

Copyright Bureau Veritas 10/2019

This template is intended exclusively when BV is acting as 3° party inspection body. The use of present template is forbidden in the frame of 2° party services where Client specification and templates must be used.

INSPECTION REPORT Nr			J×		Revision Nr	
Release Note Issued:	'es, number(s): (Relea	ase Note numb	ber)	⊠ No	,	
BV Traceability Stamping:	□ Y	es, 😃		☐ No		
BV Inspector: RAFIAH YUSIF	TRAWULE		RVISOR :	RICHARD A	ARTHUR	
BV Office: TEMA OFFICE			Date: 11-08-	2023		
Distribution: ☑ CLIENT ☐ BV ☐ MANU ☐ OTHER:		ents Repo etails in sec] No		
B - ATTENDEES						
lame	Position			Representi	ng	
BROLIN AMOAKO	ASSISTANT SCI	ENTIFIC OFFI	CER	GHANA STA		
AVID OWUSU AGYARE	ASSISTANT SCI	ENTIFIC OFFI	CER		GHANA STANDARD	
/AN ROMANOV	DIRECTOR OF V	/IVA & CO GH	IANA		GHANA LIMITED	
Add lines for additional records)			W (8)			
- MEASURING & TESTING E	QUIPMENT USED	///:			ent section J instea	
quipment Type	Equipment Iden			ration Date	ovided in attachmer Expiry Date	
TM MACHINE	20/10/D 943N	,	(12-DEC-2		(12-DEC -2023)	
Alexis is a second			PI CA		- A-10	
					9	
O - INSPECTION DETAILS						
D1 – Details of Witness (W) &	Hold (H) Inspection	n Points				
Once the sample is	re is passed between to s placed in right position lied to the sample until	on, the jaws are	e pulled apa	rt to apply ten	nsion on the sample	

BV STAMP

GM-SI-101 INSP002-En Rev. 3

Copyright Bureau Veritas 10/2019

This template is intended exclusively whe acting as 3° party inspection body.

INSPECTION REPORT	「Nr		Revision Nr
D2 - Details of Monitor	ing and Surveillance Patrols		
NON ADDITIONS		☐ Tick if	f conducted during the visit
NON-APPLICABLE			
D3 - Details of Certification	ates Review	THE AL	
		☐ Tick if	f conducted during the visit
NON-APPLICABLE	W. 138 (11)		
	P SQ GH	in and	
		114 - 11	
<u>a polica</u> natroni		ous, is,	
	200 Y (43.9 200 0 FTB		
it mieg	EAPA FIB	pin a file	
E HEALTH CAFETY	ENVIRONMENT COMMENTS		
	& ENVIRONMENT COMMENTS		
1.40.40	Contracts to the second	18,548	
	y Sa Sweet	4	
	18th 15th	4.2	
Safety was observed.	ved; operators were in their appro	priate PPE	
The environment	was safe and conductive for opera		
	The same and some some for opens		
	and the second second	7:0	
PH.	25 (41.1)		
Marita)	f mis ::		
	de a s ru)		
	Spar F Las	o/L 20	
standers	pastiong et distan	Secretary Fig.	
which is	grin or ain	a gar ag	ya m
	VIEDITAG		
GM-SI-101 INSP002-En R	ev. 3 AUREAU VERITAS (C.	Copyr	ight Bureau Veritas 10/201
# S. L. ## 4261	avaluativaly than BV is	101	
This template is intended acting as 3° party inspec	exclusively when BV is ion body. ** BV STAMP	frame of 2° pa	emplate is forbidden in the arry services where Client
ulene ja len	(0302 771507)	specification and	templates must be used.

	ECTION REPOR	T Nr					Re	vision Nr
	* 17.51\$							
						4		
	: NAPI:	1,411						
		int arti						
						^		
- NC	ON CONFORMITI	ES						
		12.3			(Indicate it			t section J instea rided in attachmen
tem	Description	Stat	us	Raised on	Report Nr.	Closed on	Report Nr.	Comments
ION	NON	NON	<i>y</i>	NON	NON	NON	NON	
ON	TVOTV J RESTRACT							
	Conformity v	was observed	d , Insp	pection was	a success	in by	icable Sta	ndards
	PARTIES AND	was observed	d , Insp	pection was	a success		icable Sta	ndards
	WG 6 T	was observed	d , Insp	pection was	a success	15 850	icable Sta	ndards
	WG 6 T	was observed	d , Insp	pection was	a success	15 850	icable Sta	
	MG & 1)	was observed	d , Insp	pection was	a success	15 850	icable Sta	
	WG 6 T	was observed	d , Insp	pection was	a success	10 000 000 000 000 000 000 000 000 000	icable Sta	
	MG & 1)	was observed	d , Insp	pection was	a success	15 850	icable Sta	
	ON DE		d , Insp	pection was	a success	10 000 000 000 000 000 000 000 000 000	icable Sta	
	ON D.S	0 (A2U)	d , Insp	pection was	a success	19 10	icable Sta	
	ON DE	M72/201 82 M 9 18 L	d , Insp	pection was	a success	ide and	icable Sta	
G – P	CN DE	10 (2/20) 20 (2/20)	d , Insp	pection was	a success	Latin d		
G – P	ON DE	10 (2/20) 20 (2/20)	d , Insp	pection was	(Indicate	ico (illipation) Refer to	o attachme	ent section J insto
	ON DE	10 (2/20) 20 (2/20)		Raised on		ico (illipation) Refer to	o attachme	ent section J insto
	ALAPLE The 8m Quice th	M 2/2001 Syll 9 18 1 M'2 12 19 19 19 MS 2 10 10 11	tus		(Indicate	Refer to	o attachme	ent section J inste
	ALAPLE The 8m Quice th	MS Sta	tus		(Indicate	Refer to	o attachme	ent section J inste
Item	ALAPLE The 8m Quice th	MS Sta	tus N	Raised on	(Indicate Report Nr.	Refer to if separate pur	o attachmench list is pr Report Nr.	ent section J i


Revision Nr

| NON |
|-----|-----|-----|-----|-----|-----|-----|
| | | | | - | | 2 |

All items were intact, and inspection was a success as per Applicable Standards

H - DIGITAL PICTURES





GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively when BV is acting as 3° party inspection body.

when BV is

BV STAMP

771507)

ACCRA-MORTH


Copyright Bureau Veritas 10/2019

Revision Nr

Description: UNIVERSAL TESTING MACHINE

Description: OPERATORS WORKING ON THE







Description:8MM REBAR SAMPLES; BEFORE TEST

Description:8MM REBAR SAMPLES; AFTER TEST

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively when BV is acting as 3° party inspection body.

ly when BV is

BV STAMP

10302 11507)

10 BOX AN 5238, ACCR - MORTH

Copyright Bureau Veritas 10/2019

Revision Nr



END OF REPORT

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively when BV is acting as 3° party inspection body.

Copyright Bureau Veritas 10/2019






Industry & Facilities Division ThThird Party Inspection Report

Page 1 of 8

INSPECTION REPORT Nr		Re	vision Nr		
☐ Initial ☐ Interim ☐ Final ☐ Resident	1,400.5				
Inspection requested by: VIVA & CO GHANA LIMITED	r				
Inappation performed as Decognized Authority:	Yes, GHANA ST UTHORITY (GSA)	ANDARDS	No		
BV Job Nr: 2023/121/INC/GHA					
Project: GLASS FIBER REINFOCED POLYMER TEST APPLICATION	IPO Ref (If applic (BV internal P/o)	able) : 2023 / 121 ,	/INC/GHA		
BV Client: VIVA & CO GHANA LIMITED	P/o nr: 2023/121 (client to BV)				
Manufacturer/Vendor: VIVA & CO GHANA LIMITED	P/o nr: (client to Manufac	cturer)			
Sub-Vendor (If applicable):					
Inspection Location: GHANA STANDARD AUTHORITY (GSA)	Previous Inspec (Date)		le):		
Inspection performed on: GLASS FIBER REINFORCED POLYMER (Date) 11-08-2023	Next Inspection (Date)	Next Inspection (If applicable): (Date)			
	19.7				
MATERIAL / SUBJECT OF INSPECTION Refer to attachment section J instead (Indicate if separate material list is provided in attachment)		QTY As per P/O	QTY Offered for inspection		
Glass Fibre Reinforced Polymer 10MM	246 / MEL2 / 23	THREE (03)	THREE (03)		
And the second s	AND LINE		p		
A INCREATION RECUIT	10 C				
A – INSPECTION RESULT	137				
 ✓ Satisfactory (Without comments) ✓ Satisfactory with comments (Any of trailing Punch or Non Coitems is still open) 	onformity 🧳 / (NC	Not Satisfact R raised durin pection)			
Inspection Summary: (for details refer to section D)					
The tensile test conducted was a success as per standard A 440.6-08. The standard tensile strength for 10mm is 760N/mn and 1341N/mm2, which is above the standard. This implies that superior properties and of high quality.	n2 min, results from	the test were 1	110N/mm2		
nias superior properties and of high quality.	n,		- Ma		
nas superior properties and of high quality.					
Open Non Conformities: Yes, details in section G		No	-		

GM-SI-101 INSP002-En Rev. 3

Copyright Bureau Veritas 10/2019



INSPECTION REPORT Nr				Revision Nr	
Release Note Issued:	Yes, number(s): (Release No	te number)	⊠ No		
3V Traceability Stamping:	N VERITAS		☐ No	,	
BV Inspector: RAFIAH YUSI	E TRAWIN B	SUREBUSOF	2 · BICHARD	ARTHUR	
Hottosk		01/	2. /		
BV Office: TEMA OFFICE	(0302 77 150	spection Repo	rt Date: 11-08	-2023	
Distribution: ⊠ CLIENT □ BV □ MAI	0302 77150 NUFACTURER	res, details in s	oort:	No No	
OTHER:					
B – ATTENDEES					
lame	Position		Represent	ing	
BROLIN AMOAKO	ASSISTANT SCIENTIF	C OFFICER	GHANA ST	ANA STANDARDS	
AVID OWUSU AGYARE	ASSISTANT SCIENTIFIC OFFICER GHANA STAND AUTHORITY			TANDARD	
VAN ROMANOV	DIRECTOR OF VIVA & LIMITED	CO GHANA	VIVA & CO	GHANA LIMITED	
Add lines for additional records)			artina,		
- MEASURING & TESTING				ent section J instead	
quipment Type	Equipment Identity n°		ibration Date	rovided in attachmer Expiry Date	
JTM MACHINE	20/10/D 943N	(12-DEC	-2022)	(12-DEC -2023)	
- INSPECTION DETAILS					
D1 – Details of Witness (W)	& Hold (H) Inspection Poir	its			
Once the sample	EL2 / 2023 if fibre is passed between the two e is placed in right position, the oplied to the sample until it read	jaws are pulled a	apart to apply to	ension on the sample	
	· Server and Samuel States (Samuel States)				

This template is intended exclusively when BV is acting as 3° party inspection body.



Copyright Bureau Veritas 10/2019

		Revision Nr	
2 - Details of Monito	ring and Surveillance Patrols	☐ Tick if c	onducted during the vis
ON-APPLICABLE			onducted during the vis
ON-APPLICABLE			
	16 13 A	And the second	
		4-	
3 - Details of Certific	ates Review	Tick if c	onducted during the vis
ON ARRUGARUE	17 L. 2811	10,70,	
ON-APPLICABLE		14,2	
	CONTRACT	110	
		-	
	WU Y (6).5	ous ins	
	AT IT	ist ci	
	& ENVIRONMENT COMMENTS		
achan	Project		
apan 13 noons	Marian Marian		
apan 13 noons	Project		
> Safety was obse	Marian Marian	propriate PPE	
> Safety was obse	erved; operators were in their ap	propriate PPE	
> Safety was obse	erved; operators were in their ap	propriate PPE	
> Safety was obse	erved; operators were in their ap	propriate PPE	
> Safety was obse	erved; operators were in their ap	propriate PPE peration	
> Safety was obse	erved; operators were in their ap	propriate PPE	
> Safety was obse	erved; operators were in their ap	propriate PPE peration	
> Safety was obse	erved; operators were in their ap	propriate PPE peration	
> Safety was obse	erved; operators were in their ap	propriate PPE peration	

This template is intended exclusive acting as 3° party inspection body

WHEN BV ISBV STAMP

(0302 LISO7)

R BOX AN 5238, ACCRA-NOTTH

Copyright Bureau Veritas 10/2019

		Nr					Re	vision Nr
		11						
						7)		
	Sept 1	11	11:			- 1		
						r 72		
						Pelpi		
		11,414						
						16		
						-		
						31-24		
	LAGYAL						r annexament	
- NO	N CONFORMITI	ES						section J inst
	LAGYAL	ES	Status	Raised on	Report		h list is prov Report	t section J instrided in attachme
tem	Description	fa	Status	Raised on		separate punci	Report Nr.	Comments
tem	N CONFORMITI		20		Report Nr.	Closed on	h list is prov Report	ided in attachm
tem ION	Description NON	AG I	NON	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments
tem ION	Description	AG I	NON	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments
tem ION	Description NON	AG I	NON	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments
tem ION	Description NON ormity was obse	rved , li	NON	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments
tem VON	Description NON	AG I	NON	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments
tem VON	Description NON ormity was obse	rved , li	NON	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments
tem NON	Description NON Ormity was obse	rved , Ir	nspection	NON	Report Nr. NON	Closed on NON Applicable S	Report Nr.	Comments
tem NON	Description NON Description Ormity was obse	rved , Ir	nspection	NON	Report Nr. NON	Closed on NON	Report Nr.	Comments

Revision Nr

Item	Description	Status	Raised on	Report Nr.	Closed on	Report Nr.	Comments
NON	NON	NON	NON	NON	NON	NON	NON

All items were intact and inspection was a success as per Applicable Standards

H - DIGITAL PICTURES		——————————————————————————————————————	
EATE	3,87301		
wite oil.	a spera		
witainii	g, sale at		

GM-SI-101 INSP002-En Rev. 3


Copyright Bureau Veritas 10/2019

This template is intended exclusively what acting as 3° party inspection body.

0302 77150

Revision Nr





CONTROLS

Description: UNIVERSAL TESTING MACHINE

Description: OPERATOR CHANGING THE JAWS OF THE MACHINE TO SUIT THE SIZE;10MM

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively acting as 3° party inspection body.


BV STAMP

(0302 T71507)

RQ BOX AN 523A

Copyright Bureau Veritas 10/2019

Revision Nr





Description:10MM REBAR SAMPLES; BEFORE TEST

Description: 10MM REBAR SAMPLES; AFTER TEST

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively when BV is acting as 3° party inspection body.

Copyright Bureau Veritas 10/2019

Revision Nr



END OF REPORT

GM-SI-101 INSP002-En Rev. 3

This template is intended exclusively when BV is acting as 3° party inspection body.

when BV is

BV STAMP

(0302 771507)

Copyright Bureau Veritas 10/2019